

Continue

119781265032 5586098.0769231 113324961530 19562948.23 27345115936 9773682.6410256 91983228397 59197409172 164977761160 107362950492 26042036.4375 63368441.212121 33363370334 88827100138 117546663450 1892300729 5375980323 12623105.921053 4990084.8470588 39788627.076923 99807871611 1593842556

Formal informal words list pdf template download microsoft word

Don't use as the first word in a sentence, as doing so can leave the meaning open to misinterpretation. For other contexts, try to find a more specific English equivalent. You press mechanical buttons, and tap capacitive and on-screen buttons. IPsec, not IPSec or IPSEC Short for Internet Protocol Security. k8s Don't use. Recommended: MyPlatform is a powerful big-data platform. black-box Avoid using black-box, blackbox, or black box to describe monitoring and testing. multi-tenancy Include hyphen. a conventional SQL database that can be shared among multiple apps. Create a new ... However, touch & hold is OK to use. PNG Don't use a filetype extension to refer to a type of file. Describe the outcome in terms of what is expected. Although it is difficult to measure happiness precisely, SRE uses service level indicators (SLIs) to quantify user perception. select Use to describe choosing an item from among multiple options, selecting text, or marking a checkbox. denigrate Don't use. external IP address; not public IP address external VPN gateway Use instead of unarchive or uncompress. Outside of code font, write around the term. Instead, use friendlier words like see, edit, find, use, or view. desire, desired Don't use. Too many people mix up e.g. and i.e. If Wondering whether to use if or whether? Instead, use tap. Instead use terms like person hours. Recommended: To help keep your system secure, install the latest version of the tools. Not recommended: Check Automatically check for updates. Recommended: PRODUCT_NAME Alpha Recommended: PRODUCT_NAME is currently in alpha. Also see type. For more information, see Text box. To convey possibility, use can or might instead. Don't use utilize when you mean use. If you must include the term, define it at first use with language such as fully managed or no operations, but not non-operational. For more information, see the inclusive documentation page. Not recommended: The Currently presupposes the order of large bytes. We recognize that sometimes there are competing forms of the same word in broad use, especially when new terms emerge, and you may have good reasons to deviate from our guide. In addition, in cases where the name, verb and adjective versions of a word are treated differently, we explicitly notice the differences. Some command tools, such as CLI GCloud, use topics. Recommended: 9:00 Recommended: 22:30 and/or sometimes and/or is the clearest and most efficient way to express something. Not recommended: perform the debug of this tool with the debug tool. Zippy does not use to refer to expander arrows, unless you specifically refer to the zippy widget in closing. Google API Console; Not Google APIS Console OK to shorten the API console after first use on a certain page. Cloud Console Short for Google Cloud Console. Recommended: The framework describes best practices for architects, developers, administrators and other cloud professionals. Not recommended: the app is grandfather because it was released before new requirements were announced. Recommended: Enable API for your project. For exceptions to this rule, see the syntax of the command line. deformed Do not use to refer to a person. understand not to use. We often do not refer to these explicitly in the documentation, but when we do, we use the Expander Arrow terms and the expandable section rather than terms like Expanto or Zippy. Easy, easily what could be easy for you may not be easy for others. The blast radius doesn't use. For an example of documentation, see Google's front-end service. Where possible, it is better to use a more specific term of the quota, such as the limit of use; The word quote id id asuihc amrof al erazzilitu ,elareneg nI .etnetu'l aredisnoc)ovittegga(elanif etnetu'l ehcna ,)ovitnatsos(etnetu dne tniop dne non ;tniopdne .iredised ehc enoisnemid allus erolav li eratsopmi :otailgisnoc noN .esrevid enosrep etlom rep esrevid esoc etlom .htiw stcaretni resu eht taht tnemele IU eht rof noitca dna lebal etairporppa eht esu ,serudecorp nI no nrut ?ijomE fo larulP eht s'tahW dna nialpxe em teL .etats ydaer-noitcudorp a ni t'nsi taht edoc ot refer ot tnageleni ro , Dnuorakrow, ysmulc ekil smret esicerp erom esu daetsni .nuon a sywla ylraen s'ti, mrof larulp sti ni .kilc-albuod DNA, KCilc-Tfel, KCilc-Thgir etanehpyh. noitatnemucod diordnA nI .sesarhp esicerp erom esu ,mret eht fo sesu lacirohpatem fo ecalp nI .)C3W(muitrosnoC beW ediW dlroW eht rep ,gnilleps laiciffo eht si sihT teehselyts ton ;teehs elyts .sdrow owt s'ti ,brev a sA .noitatonnoc Evitarojep fo tros yna htiw ycagel esu ton od .elif fo ePyt a ot refer ot noisnetxe emanelif a esu t'nod gepj .Yawetag duolc rehtona roa ecivres roe ecved sesimerp-no na eb. .epyt noitcennoc esu, daetsni .emitnur avaj ro ybur a sa hcus, snur erawtfos hcihw ni tnemnorivne eht ot gnirrefer nehw emitnur nuon eht esu emit nur, emitnur koob nur ton; koobnur .resworb a ni xob hcres eht ro rab lru eht ot refer ot esu rab Sserdda Nodda ton; Gnisaercni ro egral si gnihtemos taht yas ot enola elacs esu t'nod elacs .ecnerefer tsriff no elbacilpa ton tu tuo lleps an ton; A/n .gg. (pu tes ,)evitcejda ro nuon(putes .selpmaxe ro snosirapmoc rof sa hcus ro ekil esu ot yako s'tI sa hcus susrev ekil .noitnem tsrif retfa TAN noitanitsed esu ot yako oslA)TAND(noitalsnart sserdda krowten noitanitsed .segami ni serutaef tceted uoy stel ipa eht: dednemmocer .notalosi ni esu t'nod elosnoc .nekorb s insaht gnihtemos ebircsed ot delbasid roo elbasid esu t'nod elbasid .s/bg esu t'nod ew, noitnevnoc yb. .nehpyh a roa ecaps a tuohtiw meht etirw, si taht; sexiferp htiw sdrow dna sdrow ideV .erazzilitu noN otadratir)ZPR(enoZ yciloP esnopseR teSdroceR ecruoseR NON ;esrosir id drocer id teS .gpj. elif li ©Ähcizna gepj elif li erazzilitu ,oipmese dA .asu non pupop ,pu-pop)pop(azneserp id otnup :otailgisnoc non)pop(azneserp id otnup :otailgisnoC .imra emirp ella etnetu tset li o etnaipicnirp etnetu tset li emoc inimret erazzilitu ,ecevnI .o olocsunim li atoN .ollortnoc id allesac anu ad atnups id onges nu id enoizallecnac alla otnemirefir eraf rep)obrev emoc(osu'l allecnaC .otnemogra otseuq ni o olocitra otseuq ni non e otnemucod otseuq ni erazzilitu ,otnemucod nu id onretni'lla otnemogra o olocitra ,itnemucod ,cod noN ;itnemucod o otnemucod o YEKSND enoizatnemucoD SND revres led acitiloP .ittodorp ied imon i asu , Ãtiugibma'lla atrop izivres enimret li es ,aivattuT .oiratiroirp otnemitsevir la o inoiza ilat a otnemirefir eraf ,enoizacifinaip id oroval led e Ãtiroirp elled enoizinifed alled otsetnoc leN .enoiger anu id ¹Äip ni etsisnoc ehc duolC elgooG id edes anu a ecsirefir is odnauq onittart nu onodulcni ilanoiger-itlum e inoiger-itluM .SoDD erazzilitu ,avisseccus enoiznem al etnaruD .)taN MANITSED o TAND(:isetnerap art enoiznem amirp allen olidulcni ,iaf ol eS .aro KO etnaslup lus cilc omaiccaf :otailgisnoc noN .icidni ilg erazzilitu rep)oiraiznanif o ocitametam otsetnoc nu ,oipmese da(oinimod led acificeps enoigar anu ais iv non ehc onem a ilarulp icidni ilg erazzilitu ecidni'L .enoizagivan id unem li eratlusnoc ,inoizamrofni iroiretlu reP .etailiffa eus elled o/e elcarO id otartsiger oihcram nu ¨Ä avaJ .tanS e tanD ehcna ideV .enimret leuq asu ,adiug idnetni es ,oipmese dA .s/BG omaisu non ,enoiznevnoc reP .duolc-itlum non ,duolcitlum alorap anu ,isu ilged etrap roiggam allen duolcitluM .osicerp ¹Äip oiggaugnil nu asu ,ecevnI .)MV(enihcaM lautriV aznatsi'l ehcna ideV .)eselgni id essalc orol allen otarapmi onnah ittut ehc ²Äic onaloiv isomaf irotua irtla e netsuA enaJ idev(iralognis i asU share. Write a URL rather than a URL, because the most common pronunciation begins with a consonant sound. Instead, use later or following. Not recommended: use version 2.2 or higher. data cleaning; NOT CLEANING DATA Data flow (noun); DataFlow (noun) ifpossible to replace with the data sentence flow, then use two words: data flow. Also well use the dedicated Interconnect connection and the Interconnect Partner connection. U Do not use generically to refer to a page or dashboard. For example, if version 2.0 of an operating system receives a bug-fix update after version 3.0 was released, then version 2.0.1 may be the latest version, although its version number is less than 3.0. High performance calculation (HPC) minuscule and no indent. content (noun) In its singular form, the content may be a noun, adjective or verb. mobile network Use instead of mobile network. Avoid. Use instead of touching. whitelist, white list, white list Do not use. fiberglass Do not use. See also at the end and soon. KBps Brief per kilo per second. Instead, use a precise term that is accurate for context, such as training or workshop. reading alone, not only reading It's always a hype of reading alone. Markdown Always capitalized, even when talking about a non-standard version. return time (RTD) (RTT) RTFM Do not use. Not recommended: When you're done popularizing the shape... appendix Use plural appendixes, not appendixes. run Verb commonly used to refer to function calls, SQL queries and other processes. However, touch & hold (do not touch and hold) is OK to use. Recommended: Your app may have problems such as instability or high latency. Instead, use a word that clearly explains what you mean, as unused or too extensive. below Do not use for a series of version numbers. with Do not use when expressing the property: Recommended: A laptop that has 2 GB of RAM. For example, if version 2.0 of an operating system receives a bug-fix update afterVersion 3.0 has been released, then version 2.0.1 could be the latest version, although its version number is less than 3.0. In the Android documentation, do not use more for a series of versions versions When a cross-reference includes information that describes what the cross-reference link a, use instead of on. San Don't use. Instead use terms such as staff or equipped. For example, if you are telling the reader what to do, it should imply that the action is recommended but optional, leaving the reader uncertain about what to do. If it is important not to press sending, say it explicitly. In the following sample of code ... if a product or company name is Iphenated, then use the dash. For more information, see Foo. For more information, see etc. Hyphenate. Instead of using fat in a negative sense, such as cutting fat, referring more concretely to the removal of unused objects. Ephemeral external IP address do not use the ephemeral IP address or the external IP address to refer to ephemeral external IP addresses. When replacing the problematic terms, make sure you are technically precise for the specific context. Questing qualitative qualitative qualities enabling qualifying enabling qualifying enabling qualifying enabling qualifying enabled in procedures, using the appropriate label and action for the UI element with which the user interacts. The two sentences are not equivalent. Interconnected interconnection to use when it refers to the API. Use the can. agnostic do not use. Service is ok to refer to Google products, such as Google Kubernetes Engine or Compute Engine, as services. Registers do not use. Primary Cloud SQL/Replica Cloud SQL Master/Slave avoid using Master where possible. Do not use to refer to a navigation menu. For example, use the TAR file rather than the .tar file. Avoid for in contexts other than the unit of Tasso. Do not shorten or use the variations of these terms. fast, fast there that it could be for you may not be fast for others. "touch & hold"; do not touch and hold touchscreen; do not touch screen traditional If possible, use a more precise term. life cycle; life cycle or life cycle duration; not life time or life time lift and move; not rehosting or approach of the forklift To refer to the idea of migrating an app or workload without modification or orchanges, use lift and move and write a definition in line. With not using, Big Data Lowcase. Not recommended: the code base currently takes on Little-endian byte ordination. Favorite page term when it refers to a web page in general, and to a under-pagin of one console in particular. After providing a description, you can add a phrase as "sometimes indicated as best effort." Beta Lowcase except when part of a product name. By convention, we do not use KB/s. Look at the teacher. Intercluster Use the intercluster unsquitated, not the intercluster. The characters are used for different purposes. Note: This document includes references to Termini that Google considers disrespectful or offensive. Recommended: an unmarked automatic automatic learning model: an automatic learning model persists for executor not to use as a transitive verb, and better to avoid using as a verb, especially in a passive voice. Do not use. For example, use the Yaml file rather than the .yaml file. Avoid using gender terms. For example, you can also use approach B to solve the same problem. Recommended: Recommended beta production: Product_Name is currently in beta. In some contexts, it is better to write as an identifier or identification. For generic references such as the cloud or hybrid cloud, use the tiny form. not fat; I do not fat an exception to our usual preference for closed forms. topic (linear context) for general use, use the option. "Tap & Hold" or "Tap and Hold" in the Android documentation, do not use. Review if you understand "read, potentially for the first time," then use reading instead of reviewing. As of this writing, avoid because this sentence is implicit. If the omission translates into ambiguits, then include the drop-down as a Not recommended: set the value on the desired size. Be sure to remove any ambiguits regarding whether the term refers to health in the medical sense. For an education that does nothing, use no-op or o specific instruction name for your context. on-premises; not on prem or on premise or on-premise Use to refer to a customer's resources that they manage in their own facilities. See also may, might, and should. Instead, spell out the full word when it's used in a non-code sense: configuration or configuring. OK to abbreviate as SLA after first use. Outside of Compute Engine or networking documentation, the term firewalls is acceptable. See blacklist. For Android documentation, use lower instead of earlier. ML Okay to use as an abbreviation for "machine learning" after the first mention of that term. Instead, use earlier. first-class, first-class citizen, first class Don't use socially-charged terms for technical concepts where possible. For example, a Task resource has properties like kind, id, and title. For monitoring, use synthetic monitoring. OK to use literally. Recommended: In the Service account ID field, enter a name. Recommended: BigQuery doesn't support that function. Recommended: Create a project. See blind. But the AP style manual switched to email in March 2011, and the New York Times switched to email in October 2013. domain name registrar Domain Name System Security Extensions (DNSSEC) double-tap downscope; not down scope or down-scope Consider using a more descriptive term like constrain scope or reduce scope. NoSQL notification drawer now Avoid when describing features of products or services because this word is implied. Recommended: Set the value to the size that you want. Recommended: To make the audit logs available, you must configure the monitoring system. A claim that a product or its output is compliant with a standard is a strong statement. Use a more specific term like page or console. A GKE node is a worker machine that runs containerized applications and other workloads. Instead, use fully managed. vs. Interconnect connection location Okay to also use colocation facility. Don't use as a visually challenged See blind. Instead, use Create a ... Not recommended: The codebase currently assumes little endian byte ordering. Recommended: To establish an SSH connection, use the ssh command. managed instance group (MIG) Okay to abbreviate to MIG on subsequent mention. A/B testing abnormal Don't use to refer to a person. SAP Pronounced as the individual letters S, A, P, so write an SAP system, not a SAP system. If you aren't sure what noun this or that refers to, then consider rephrasing. home screen hostname; not host name housekeeping, house keeping, house-keeping Don't use. If not, then use directory in a command-line context, and folder in a GUI context. If you don't know whether it's a tablet or a phone, use device. Not recommended: Let a user query just the table without full dataset access. Not recommended: Create a new project cross-site request forgery crazy, bonkers, mad, lunatic, insane, loony Don't use. Recommended (first use): The IAM recommender helps you downscope (reduce the permissions) that are available to your users. In some contexts, mail is a better choice. If you must use new, give the reader a reference point¢ÃÀÂfor example, a version number or release date. i.e. Don't use. Use must, or rephrase the sentence so that it is a clear imperative instruction such as Do the following before you continue. By convention, we don't use Kb/s. See grandfathered. little-endian Use lowercase for both words. However, the word is sometimes overused, especially when the intended meaning is capabilities or features. Also don't use if referring to the concept in statistics known as a dummy variable. Use detailed, non-figurative language as much as possible, such as referring to a node being responsive instead of referring to a node being healthy. Use dialogue only for verbal interaction between people. drop-down; not dropdown In most cases, you can omit drop-down in favor of list or menu. GBps Short for per second. The phrase can also prematurely reveal the product or feature strategy or inappropriately implies that a product or feature could change. For details, see the Google Developers website policies. Do not use omnibox. IAM When referring to the Google Cloud product, write it on the first use: Identity and Access Management (IAM). Not recommended: To denylist an IP address, add it to the dos.yaml file. Panoramic screen In the Android documentation, do not use. Interconnect Ok to use the connection on successive mentions. Instead, use later. app bar Previous action bar. hands on, hands on Use a less figurative phrase, as customizable, or write a description of the activity. Recommended: Network analysis of the service reports the function on the health of the network. Recommended: Automatically check updates. Do not use portal to refer to the Google Cloud console or a Cloud Console page. There is no need to use a noun after following, unless it helps to provide clarity and allows accessibility. MIME type MIME stands for "Multipurpose Internet Mail Extensions," and therefore refers specifically to email. Instead, use the dialog box to describe a window that appears and asks, or submits, more information. Instead, use phrases like this. If you mean an IP address, write the IP address. The server sets the value to true. Not recommended: The codebase currently takes Little Endian byte ordering. Do not use NATted or NAT-ted. black holes (verb), black holes (adjective) Do not use. To make it possible to do something, use allows you. (Using it as an adjective, as in the target audience, is probably good.) Alternatives include terms such as intended, research, focused on andcon. OK service level indicator to shorten as SLI after first use. Instead, use alternative terms as an indicator variable, design variable, coding a hot, Boolean indicator, binary variable or qualitative variable. When .VT ni olocatteps onu eradraug id "ongosib" nu eritnes ebbertop etneilc nu ,oipmese dA .spooN erasu noN .otacovva nu eratlusnoc aznes elagel osnes ni olrasu noN .erasu non rd ;lt)ovittegga(elaropmet anoz ,)ovitnatsos(oiraro osuf .emon orol a enimret li onasu ehc Ãtitne ertla e erawtfos ittehccap ,itnemurts ,edneiza a otnemirefir ni erazzilitu ad KO .asu non enohptrams oL .enoiznem amirp alla erageips id ongosib ¨Ä'c noN .onasu non lebal etihw ,lebaletihw ,acnaib attehcitE .atazzilausiv eneiv tuptuo id yrotcerid elled aera'l :otailgisnoc noN .v icitsemod ilamina ,emaitseB .aletuac noc ozzilitu id ozzilitu ,erazzilitU .olocsunim erazzilitu ,gnikrowten id enimret la otnemirefir af is odnauq aticsu'l ¨Äoic e .se da onalocsem is enosrep epporT .erasu noN revoH .otnoc led enoizaerc alled otsoc li onacidni enoizaruttaf id eseps eL .olocsunim ni odnamoc li ehc odnamoc id otnemurts olled emon li ais ivircS tniL .itad ia otnemirefir af is odnauq isac ied etrap roiggam allen erative tsegnI .alacs atsav us oilgem anoiznuf ametsis li :otailgisnoc noN .atelosbo eratnevid ²Äup alorap atseuq ©Ähcrep opmet azones enoizatnemucod allen erative amitlU .olasu idniuq ,enoizautis aut al rep esarf roilgim li ¨Ä es am ,irottel inucla Ãreggartsid e Ãreditsafni C o B o A erevircS .cce)ovittegga(ERORRE ID OTTIRCS .oizivres led enoizagen id occatta nu ,oipmese dA .odnoces la tibagig rep SPBG trohS .ilotit e inoizatsetnI eredev ,inoizamrofni iroiretlu reP .duolc amrofattaip anu ni etsise etnemlautta ehc o duolc amrofattaip anu us otargetni ¨Ä ehc o duolc li rep ottircs otats ¨Ä asoclauq ehc eracifingis ebbertop duolc ovitan li ,oipmese da-oraihc etnemairassecen ¨Ä non ovitan enimret II .otnemucod otseuq ni ipmese itlom eravort elibissop ¨Ä :otailgisnoc ... etneuges allebat alleN .isrocrep i osrevartta PMCE azzilitu duolc retuor li :otailgisnoC .etnetu aiccafretni'llen ottircs ¨Ä emoc enimret otseuq ivircs ,etnetu aiccafretni'lled otset nu reP IPA IPA erotappulivs o elosnoc non ;IPA elosnoC ."odotem nu ah asrosir atseuQ" eracifingis rep IPA'nu ah asrosir atseuq erevircs non ,oipmese dA .ebbervod e thgiM ,naC ehcna ideV .IPA elosnoc alled evaihc al ©Ähcizna IPA evaihc al erazzilitu ,itsetnoc ied etrap roiggam alleN IPA elosnoc evaihC .ereneg id inimret erasu id erative omou aznetop ,omou aznetop aiv aiv aiv

,ecevnI ;rep erasu non ,elibissop es reP .otnemucod li ottut ni etnereoc odom ni enimret ossets ol asU .itnetu iout i oilgem evres otseuq es adiuq atseuq ad eraived eneb av ,erpmes emoC .otiuges ni enimret ovoun li asu e icsirefir it asoc a icsiraihc ,)ecidoc emoc otattamrof(ecidoc led otnemele'lla otterid otnemirefir ni olos alorap atseuq asu idniuQ ,retsaM droW elaretlel li azzilitu odnatnemucod ats is ehc ecidoc li o odnamoc li eS)esabatad ni(retsam otsaT)azzerucis ni(YEK RETSAM SNIKNEJ NALP RETSAM EKG)esabatad ni(airamirp evaihC)azzerucis ni(TOOR TOOR TOOR EVAIHC SNIKNEJ OLLORTNOC NALP ELLORTNOC EKG .iggel el o eloger el aloiv ehc onuclaug a otnemirefir af is odnauq taH kcalB rep adiug al iugeS .itinU itatS ilg rep enoizaiverbba emoc erasu ad KO SU .elorap euD allebat alled emoN .itaicorcni itnemirefir e itnemagelloc a otnemirefir af is odnauq erazzilitu ad KO ideV acrecir id elosnoC)ottodorp led emon led etrap emoc(acreC .alacs agral us oilgem anoiznuf ametsis li :otailgisnoC .etnereoc odom ni atiliba o enoisnecca'l erazzilitu ,enoiznuf alled o enoizpo'nu id enoizavitta'l o enoisnecca'l reP .aloger al edecerp ©Âhcrep aloger anu eraloiv ossemrep ¨Ã ehc asoclauq a otnemirefir eraf rep otasu ¨Ã non onnon II .asu non bobak unem ,babek unem ,bobak ,babek .ossab ni ¹Âip asu ,ecevnI .evalS ideV .atad gib id amrofattaip etnetop anu ¨Ã mroftalPyM :otailgisnoc noN .otiuges id non ,etneuges o ovisseccus To deny requests from an IP address, add them to the dos.yaml file. It can be acceptable to use the premises as a name when it would be embarrassing repeatedly repeatedly KDS SECIVRES YALP ELGOOG SECIVRES YALP ELGOOG OI RO OI RO Oi RO O-I Ton; esu t'noD HSS dna hss .ecafretni deifinu ro ecafretni elgnis yb decalper eb syawla tsomla nac tI .esu t'noD emal .tcapmi laitaps ro aera detceffa ekil mret esicerp erom a esu ,daetsnI .pots ro' mynonys a sa gnisu diovA etanimret . snoci dna snottuB ees ,noitamrofni erom roF .dnammoc eht dna ytilitu enil-dnammoc eht fo eman eht htob rof tnof edoc esU litusg .puorg ecnatsni osla eeS .lufesu ro no tca nac uoy taht ekil esarhp a htiw ti ecalper ro tuo ti evael , ti gnisu fo daetsnI .IPA cificeps-egaugnal a ro IPA bew a rehtie ot refer ot IPA esU IPA .deppaws era sgniht owt tahw raelc ylticilpxe ti ekam ,sesac hcus nI .noitca resu ot tcaer ot IU eht rof gnitiaw emit fo htgnel a ylpmi t'nseod noitca siht ... dnemmocer ew esu .sdnoses pael gnirongi,) 0791, 1 yraunaj No CTU 00:00 (HCOPE Xinu EHT EHT ECNIS SDNOCES FO REBMUN A SA DETNESERP EMIT NI TNIOP A OT EMIT HCOPE RHIT RHUT RHTAR NAHT RHTAR EMIT XINU EMIT XINUTHECALP ESUE, DASTS. Tselesed ro, ffo nrut, etavitcaed, elbaliavanu, evitcani esu nac uoy .yrotcerid ot tluafed, tbuod ni nehw .Yawetag reep a nhw yawetag sesimerp-nod yawtag yawetag yawetag yaw Emit ton; EVIL OT EMIT PMATS EMIT TON; -itlum .reilrae dnatsrednu ot hcihw yb rebmun noisrev a edivorp uoy taht erus ekaM .desu gnieb ecruoser a fo ytitnauq eht ot gnirrefer nehw noitazilitu ro ezilitu esu ot KO s'tI .tnemerusaem fo stinU ees ,noitamrofni erom roF .tnemnorivne sesimerp-no na ekil esarhp llu a tuo Less in all contexts, even at the beginning of a sentence. Instead, use terms such as staff or workforce. State Bar Stonith, Stomith avoids using graphically violent terms. Use the button to refer to the mechanical buttons (such as the Home button on the front of the phone and the volume buttons on/already on the phone side) and capacitive touch buttons on the phone. A result is possible. Recommended: This function allows you to use user properties combinations. A state is real. The cattle don't use. Also use for mechanical buttons. Flag (context of the command line) do not use. ecommerce; The domain of availability of non-e-commerce edges does not use the area of availability of the edges, the domain of available underground or the area of availability of the subway. Avoid both members of referring to a position in a document, use first or previous, not higher. Sillana if necessary for clarity. This term is used to favorably compare a centralized control and monitoring interface compared to the alternative of different disparate interfaces. Ok: To make the token persist ... Grayist, Greylist, Gray List, Gray List, Gray-list, Gray-list does not use. Postmortem avoids in general use. Abort avoid in general use. In the Android documentation, use more at the top for a series of version numbers, not the latest. Instead, use automatically update. Make sure to provide a version number or a release date within which to understand more forward. Use a specific verb in front of the word. Do not use peer. A archive don't use. as abbreviation by verses; Instead, he uses the unbelievated against. Type in general, use sending instead of typing because it is generally present more than a way to insert the text compared to typing (how to glue text or speaking). Media type in most contexts, use the type of average instead of the type of content or the type of camouflage. Recommended: This document provides indications on the creation of tables. If you refer to a specific version of the Apple operating system, use its official name at the time of its version (such (such OSÃ ÂX 10.11); but if you're referring to the operating system in general, use macOS. service level agreement Lowercase when referring to service level agreements in general. Instead, use tar file. master Use with caution. possible Don't use possible or impossible to mean you can or you can't. If you're referring to a group that doesn't do anything during a process, write a description. AM, PM To be consistent with Material Design, use all caps, no periods, and a space before. slice and dice Don't use the phrase slice and dice. sherpa If possible, use a more precise term. Not recommended: Deselect Automatically check for updates. Use the verbatim code item name when referring to, for example, a data structure or file with that name. Don't use: To blacklist an IP address, add it to the dos.yaml file. GKE node Use when first introducing GKE nodes on a given page. Use among when you're talking about things that are part of a group or things that aren't distinct: Recommended: ... If you are replacing the terms master and slave together, then consider such combinations as primary/secondary, primary/replica, original/replica, controller/worker, initiator/responder, mixer/leaf, aggregator/collector, publisher/subscriber, leader/follower, and active/standby. Not recommended: This feature now lets you use combinations of user properties. at scale; not at-scale authentication and authorization In general, use the word authenticated only to refer to users, and authorized only to refer to requests that are sent by a client app on behalf of an authenticated user. Recommended: This functionality doesn't work in versions earlier than 1.17.0. Not recommended: This functionality doesn't work in older versions. Instead, use a more precise term for your context, such as unbranded, unlabeled, or blank label. Recommended: Reducing the scope of a token helps you follow the principle of least privilege. For more information about SRE and reliability, reliability, see The Happiness Test. currently Avoid because this word is implied. To describe a fallback procedure, use manual fallback or preplanned procedure. hold the pointer over Only use this verb phrase in the following cases: When the user needs to hold their mouse over a UI element, but not click the UI element. Recommended: The system scales up quickly, but it scales down more slowly. If your meaning is unclear without just, then use a more specific term such as only, instead, or previously, or revise your language to be more specific. The machine is a Compute Engine VM that GKE creates during cluster creation. Examples of connection types are a dedicated connection or a connection provided by a service provider. When you're describing the state of something, such as the value of a variable, avoid writing The value should be true. In our documentation, we use the noun, so keep it plural. Use earlier or preceding. Instead, use Google Kubernetes Engine. Because downscope might not be broadly understood, if you use the term, make sure to define it on first use. This construction is better for translation and a global audience. Instead, use something like To summarize, or revise the sentence. For exceptions to this rule, see Documenting command-line syntax. Recommended: This setting is required. Instead, use precise, positive words, such as fast, powerful, or elegant. To describe a general emergency or procedure that grants emergency access, use emergency access. It's OK to use shift left and shift right in the context of binary multiplication and division. janky Use a less figurative term to refer to something of poor or unreliable quality. must Use to describe a required action or state (for example, You must have the Editor role). single most; not singlemost single pane of glass Avoid. vice versa Don't use. + OK to use + with numbers in text, such as customer records with 300+ demographic attributes, except formal contexts. Not recommended: Uncheck Automatically check for updates. sync (noun, verb); not synch Recommended: in sync Recommended: sync, syncing, synced tab When referring to the sub-pages of a console, use page instead of tab. Recommended: You can toggle Magic Mode in the Settings window. BMaaS Write out on first mention: bare metal as a service (BMaaS). To refer to the people, use Romani, Roma, or Traveller, as appropriate for the specific group you're referring to. Recommended: Your app might experience problems, including instability or high latency. Instead, use retrospective. Cloud SDK; not Google Cloud SDK co* See Closed compounds and prefixes. Instead, write instructions that avoid directional language. Never use in conjunction with slave. Recommended: To enable the API, click the toggle. For example, use GIF file rather than .gif file. unzip Don't use. quota In API contexts, often refers to API usage limits. retriable, triable Don't use retriable or triable, unless a code item uses that spelling. Instead, use internal IP address. ghetto Don't use. man hours, manhours, man-hours Avoid using gendered terms. Also, in our usage, data is a mass noun, not a count noun; for example, say less data rather than fewer data. Generally not in code font. Not recommended: The framework describes best practices for cloud practitioners. RFC When referencing an RFC specification, use a space between RFC and the number (for example, RFCÃ Â2318). config Avoid when possible. See also as of this writing and presently. soon Avoid in timeless documentation because this word can become outdated. above Don't use for a range of version numbers. legacy If possible, use a more precise term. Not recommended: Under Service account ID, enter a name. Consider using a more precise term for clarity. In particular, use between when you're talking about two or more distinct things: Recommended: JavaScript introduces dependencies between Dom, Cssom and Javascript execution. Multi* See compounds and closed prefixes. Instead, use a more clear and significant name. Do not use more new to refer to a specific version of a product. not elected not to use. It is okay to write to do option 1 or option 2 or do option 1 or do option 2, but do not write option or option 2. hackathon; Non hack-un-thon hamburger, the hamburger menu does not use. In Disaster Recovery (DR) and Devops Context, uses postmortem without fault. Https; Do not https Iaas Write to the first mention: infrastructure as a service (IAAS). It is acceptable to write a simple object, similar to a pojo in java if this helps your audience. The female adapter does not use. Usually, it is just a filling word that you can eliminate without affecting your meaning. SSH is a safe communication protocol; SSH is an utility. Interface ok to use as a noun, but don't use as a verb. Administrator in the Android documentation, do not use. Tablet tablet is ok. Not recommended: a laptop with 2 GB of RAM. Use satisfaction when you refer if the site meets customer needs. In the previous example ... Jolly; Not Jolly's desire not to use. Recommended: in the administration menu, hold down the pointer between the file, then click New. Not recommended (but acceptable in the documentation of the cloud Non Google): the app could experience unstability, high latency, etc. Below do not use for a series of version numbers. Instead, use specific terms appropriate for hand activity. Instead, use pronouns. For example, if it is determined that the syllable version of a term in your domain is more appropriate for your users, it is good to use it instead. I include the support words to indicate the size or direction of the change of size, whether it is reduced on or already, ad When changing a type of machine to add or remove the CPUs or RAM or the downsizing or inside, such as the addition or removal of instances from a group. Not recommended: the class class quota esu t'noD .krowten elibom esu ,daetsnI .foereht noitairav yna ro ,tnemhcatta tcennocretnI duolC ,tnemhcatta tcennocretnI ,)NALV(tnemhcatta tcennocretni :gniwollof eht esu t'noD tnemhcatta NALV .niaga ti yrt nac uoy ro niaga deirt eb nac tuo etirw , Elpmaxe rof .esu t'nod t'Nod t'Nod t'-yerg, tah yarg, tahyerg, tahyarg .daetsni esac-hsad esu .nuon a sa tsilwola esu ot ko .nur esu, sesac lareneg erom rof. ti fi ylno dna fi tnof edoc ni si ti ,revewoH .sexiferp dna sdnuopmoc desolC eeS .llawerif detubirtsid lautriv deilpmi na sah krowten yreve taht nialpxe nac uoy ,krow selur llawerif woh gninialpxe era uoy fI :noitpecxE .esu t'noD yhtlaeh .esiwrehto gnisu diovA .)revoh(revo retniop eht dloh noitca eht ot ralimis si sihT .esu tsrif retfa OLS sa etaiverbba ot KO evitcejbo level ecivres .sa fo daetsni esuaceb esu neht ,esuaceb naem uoy fI sa .elbissop revenehw esarhp etelpmoc erom eht esu ot Elbareferp s'ti, revwoh .etad Esaeler roo rebmun noisrev a, elpmaxe rofÂÂÂ¢tniop ecnerefer a redaer eht evig ,tsetal esu tsum uoy fI .xob fo daetsni dleif esu ,noitatnemucod duolC elgooG nI .snoitarepo tnempoleved rof trohS spOveD ediuG 'srepoleveD ro ediuG repoleveD ton ;ediuG s'repoleveD .elbissop nehw diovA llik .rehto hcae htiw deppaws era sgniht owt hcihw wonk ot drah s'ti ecnetnes xelpmoc a ni esuaceb esicerpmi ro raelcnu si asrev eciv ,stxetnoc emos nI .)selif noitarugifnoc ni sa(elbairav a rof eulav a seificeps taht gniriap a ot Srefer HCIHW, RIAP Eulav-Yek Htiw Tsartnoc .elif Fo EPYT A OT Refer Ot Noisnetxe Emanelif a esu t'nod piz .elor mai siht troppus t'nseod elosnoc duolc EHT: Dednemmocer. secneinevnocni ,su stifeneb rof gniksa er'uoy tahw nehw ,elpmaxe rofÂÂÂ¢ssenevigrof ro noissimrep rof gniksa er'uoy nehw ylno esaelp esU .spac llA UPC .setalpmet nottub/roloc detaler dna senilediug ezis xam-nim ruo ot mrofnoc dluohs .idnetni asoc eriraihC .ametsis li ereggetorp a onatuia ehc itnemurts imitlu ilg edulcni onguig 1202 led enoisrev al :otailgisnoC .yreuQgiB a elacol esuoheraw atad nu ad erargim emoc ageips lairotut otseuq :otailgisnoc ortnoc erazzilitu noN .aiv ¬Âsoc e aznetal atla , Âtilibatsni eratnemireps ebbertop ppa'l :otailgisnoc noN .icsirefir it iuc a ottegorp id opit lus Âtiugibma icresse ebbertop iuc ni otsetnoc isaislauq ni e enoiznem amirp alla tcejorP duolC elgooG asu ,noitatnemucoD duolC elgooG ni tcejorP .odnamoc id aenil alled issatnis al eratlusnoc ,ilgatted i reP .atanoizeles enoizurtsi'nu eriugese emoc ¬Âsoc LMD inoizurtsi el eriugese elibissop ¨Ã :otailgisnoc noN .ioup odnauq ativE)obreV(sseccA .ereneg id ortuen lad otireferp emonorp ortson li ¨Ã otseuq)eralognis(orol)eralognis(orol II .oraihc ¨Ã otsetnoc li odnauq eneb av)elibom aznes(onofelet led osu'L .aletuac noc asU dnetnorf ÂtilanoiznuF .elarulp obrev li erpmes ednerp ,elarulp o eralognis emoc otasU .atatroppus ¹Âip Âras non enif alla e atacerped ¨Ã KDS'lled enoisrev atseuq :otailgisnoc noN .vsc. elif li ©Âhcizna VSC elif li erazzilitu ,oipmese dA .ereneg id inimret erasu id erative)MTIM(elddiM-eht-ni-naM .itneilc ¹Âip art izivres eredividnoc elibissop ¨Ã :otailgisnoc noN .aizini iuc noc arettel allad etnemetnednepidni ,etnanosnoc onous nu noc aizini avisseccus alorap al odnauq a osu nu e a .gnp. elif li ©Âhcizna GNP elif li erazzilitu ,oipmese dA .ortla nu id ecilpmes ¹Âip ¨Ã oiccorppa nu ehc erettemsart rep elitu ¨Ä ,etlov A .ovitacifingis idniuq ¨Ã ovoun id asoclauq erattehcite'l ehc e onaizna ¹Âip ottodorp li ecsonoc erottel li ehc ehcna acilpmi ovouN .acificeps enoiznuf alla otnemirefir eraf ,tset ia otnemirefir af is odnauQ .opmet len amirp asoclauq eratsops eracifingis rep enimret otseuq erasu id ative ,elareneg ni artsinis a atsopS .amirp asu ,ecevnI .ortnoc emoc eredev emoc a ottepsir emoc olousottos o anozottos noN ;oetottos oetottos noN ;olousottos :otailgisnoc :otailgisnoc :ipmese irtlA .eredulcni o erenetnoc ,etsisnoc osu'l ,ecevnI .esarf anu id oizini'lla non es DP olocsunim noN ;etnetsisrep doP hcae rof ycilop a etaerc :dednemmoceR yad rep stseuqer :dednemmoceR .lla rof mynonys a ton si hcae ,sdrow rehto nI .esu t'noD epyt tcennocretni .etairporppani erehw tpecxe tnof edoc esU .noitcafsitas remotsuc fo daetsni ssenippah remotsuc gnirusaem ot srefer yllareneg Tnetnoc) ers (gnireenigne ytilibailer etis .egami Rotcev eht syalpsid aera seirotcerid tuptuo eht: dednemmocer .mp, ma ees mp) Brev (Ni Gulp,) Evitcejda (Ni-Gulp)) Nuon (Nu Sac. Noitnem Tsrif No Tuo Etirw Saap .srehto rof Elpmis eb ton thgim uoy rof elpmis eb thgim tahw ylpmis, elpmis tuongis ro tuo gol ton;) Brev (Tuo Ngis) Evitcejda Ro Nuon (Tuo-NGS) Slapn. thgim uoY ,elpmaxe rof(emoctuo niatrecnu na ro ytilibissop yevnoc ot esU thgim secivresorcim .esu t'noD enignE reniatnoC .segami ni serutaef tceted ot uoy swolla IPA ehT :dednemmocer toN .eciov evitcA ees ,tahw gniod s'ohw gniyfiralc tuoba erom roF .epyt aidem esu, daetsni; nosj/noitacilppa sa hcus sepyt ot gnirrefer nehw esu t'noD epyt tnetnoc .tnof edoc ni seman elbat cificeps teS .daetsni nac esu ,noissimrep yevnoc oT .yek tlA na fo daetsni yek noitpO na s'ereht dna ,yek lortnoC eht fo daetsni yek dnammoC eht esu sdnammoc Draobyek ynam, Socam ni taht eton) .retcarahc rof retelel esacreppu na esu, sesac tsom ni (.sa hcus roof ekil sesarhp esu, daetsni .elbane osla ees .esopxe ro erawa llpo. ,daetsni ;brev evitisnart a sa diovA ecafrus .smune ro slaretil gnirts ni tpecxe ,di ro dI toN DI .elpoep ot refer ot evitan gnisu diovA evitan ecaps eman ton ;ecapseman revreseman ton ;revres eman .retfa yletaidemmi swollof ammoc a fi neve , doirep eht edulcni syawlA .secived tnereffid ynam no yltcerroc redner segap ruoy taht os tropweiv eht erugifnoc dluohs uoy ,)senohp tnereffid gnoma neve dna ,stelbat dna senohp neewteb ,elpmaxe rof(secived gnoma

ylediw yrav snoisnemid neercs according to the style guide Recommended: in response to your request Not recommended: Requests/day Not recommended: create a policy for Pod Not recommended: for style guide Not recommended: as for your request performer Avoid where possible. click; do not click on When the environment is a desktop with a mouse, use the click for most goals, such as buttons, links, list items and radio buttons. When you want to use an authentic preposition, use against. Do not use deprecated to mean removed, deleted, turned off, or rejected. The authenticated user then authorizes the client app to send an authorized request to the server on behalf of the user. print Use when it refers to pressing a key or a key combination to cause an action. Instead, use a word or phrase what is happening, how to simplify or remove the technical jargon. BGP Write the first mention: Border Gateway Protocol (BGP). anti* See closed compounds and prefixes. For more information, see Pronouns. POJO If you are not actually writing on a Plain Old Java Object for a Java audience, use simple object. Grandfather clause, grandfather clause, grandfather clause. Nuke Do not use. For example: The process returns 10 items. try again, proveable Where possible, write around reproof and proveable. Do not use adtech or ad-tech. Instead, use default roles. screen of recent; do not screen of red overview Do not use as verb. Also do not use the sentence please note. For information on how to define URLs, see the Code on the text page. Instead use a word as valid or reasonable. Instead, use phone or phone. screenshot (name); no screen shot or screensnap Do not use as a verb; instead, use a screenshot. Recommended: BigQuery jumps. previousfor a range of version numbers, not lower. Mom test Don't use mom's test, grandma test, grandma test or girl test. deep link; not deep However, if you were to work to replace ollevil ,oipmese rep ;L ollevil led oso uid elatipaC .ocilbbup ortsov li rep oiggesarf ecilpmes e oraihc ¹Âip li ais non ehc onem a erativE enoiza .itla ¹Âip non ,enoisrev id iremun id eires anu rep erazzilitU idrat ¹Âip .ollortnoc id allesac anu id arutacram alla otnemirefir eraf rep erasu noN acifireV .23-FTU e 61-FTU ,8-FTU emoc ,edocinU acifidoc id imon ien onittart li eredulcnI FTU etnetu emon non ;etnetu emon non ;etnetu esab .erasu noN .¬ÃS - .fdp. elif ehc otsottuip FDP elif erazzilitu ,oipmese dA .enoiza'nu adnamoccar iS .aiccafretni'llen erappa ehc enimret li ¨Ã otseuq es oiratinas ollortnoc enimret li olos erazzilitu ,ocitamrofni ametsis nu rep aserp enoiza'nu evircsed is odnauQ .atazzirotua alotacs allen RESU'l eranicsarT :otailgisnoC .sv stenbuS eredev ,inoizamrofni iroiretlu reP .olasu idniuq ,atouq ¨Ã dradnats enimret li ,duolC elgooG id enoizatnemucod al emoc ,itsetnoc inucla ni aM .otnemucod nu ni enoizisop anu a otnemirefir eraf rep erasu noN .ecevni aidem id opit li erazzilitu ,liam-e non itsetnoc nI .erasu non ,diordnA enoizatnemucod alleN hcuot .otitseg eznatsi id oppurg ehcna eredeV .eterottos id enoizaiverbba emoc erasu ad KO tenbus tnemelebus idnamocbus non ;dnamocbus obrev o ovitnatsos ;essalcottos non ;essalcottos .iggassap itneuges i eriugese ,etnetsise ottegorp nu id o ottegorp ovoun nu id ittart is ehC :otailgisnoC .tnesnoC anigap allen etatsopmi onognev inoizamrofni etseuQ .erotappulivs olled elgooG tnuocca'l e ,ottegorp led ogol li e emon li ,eralocitrap ni :ossecca'l erazzirotua id orol edeihc etneilc li odnauq itnetu ilga artsom elgooG ehc inoizamrofni ella onocsirefir is isarf elled gnidnarb lus inoizamrofni el ,elosnoC duolC elgooG len e elosnoC IPA'lleN).olocsuiam erazzilitu ,anaeloob acigol o anaeloob acitametam alla ecsirefir is ehc elibaborpmi osac leN(.ottartse'l erasu ,ecevnI .ecilef eresse non ebbertop etneilc li ,etneilgat o atnel ¨Ã enoizudorpir al es aM .eraf iop ,otnemagelloC Level 3, level 4, or level 7. When referring to the term GKE or API, capitalize Ingress. Emoji Use emoji for both singular and plural forms. If this is not possible, as when it refers to something like flow processing or orRD Sa etaiverbba ot ko tub, eman tcudorp a fo trap nehw tpecxe esacrewol yrevocer retsasid .esu t'nod sgninrael (ni-dael .esu t'nod) reh ro ehs ro (SIH RO, MIH, EH LARTUN-REDNEG. sexiferp dna sdnuopmoc desolC eeS *non .brev evitisnartni na sa esu t'noD)brev(yalpsid .Â¦ÂÂ¢sdnemmocer elgooG ro .egnahc thgim erutaef ro tcudorp a taht ylpmi yletairporppani ro ygetarts erutaef ro tcudorp esolcsid ylerutamerp osla nac drow eht ... si) atad laitapsoeg (atad cihparGoEG: dednemmocer .... egelivirp tsael fo elpicnirp eht wollof dluohs uoy, ro, € Ã ¢ DROVSSAP GNORTS ASU DLUOHS UOY, Elpmexe RoF. si noitca dednemmocer a fi dluohs esu nac uoY .tneilc taf fo daetsni tneilc derutaef-lluf ro noitcennoc taf fo daetsni noitcennoc krowten yticapac-hgih esu ,elpmaxe roF .noisserpxe raluger esu ,daetsnI .sdrow htob rof esacrewol esU naidne-gib .)ytitnedi fo foorp rehto emos gnivig ro (drowssap rieht gniretne yb era yeht yas yeht ohw era yeht taht setacitnehtua resu a .esu t'nod otni ngis ningis ro ni ni gol ton;) brev (ni ngis,) evitcejda ro nuon (Ni-ngis .spoved ees, noitamrofni erom rof .eulav eht gnimrifnoc tsrif tuohtiw egnahc sa hcus esicerp. resu stceffa eussi sihT :dednemmoceR .secnerefer-ssorc dna txet kniL ees ,noitamrofni erom roF .etis a fo renow ,reganam tnetnoc bew ,rotartsinimda etisbew ,renwo etisbew sa hcus ,elor cificeps eht ebircsed ot mret esicerp erom a esu ,daetsnI .secirtam esu ot)txetnoc lacitamehtam a ,elpmaxe rof(nosaer cificeps-niamod a si ereht sselnu sexirtam larulp eht esU xirtam ngiseD lairetaM .recnalab daol a ezilitu ,ciffart krowten etubirtsid oT :dednemmocer toN .sedon deliaf ecnef sa hcus ,erutaef tnaveler eht nialpxe , Daetsni .citehtnys ro, derutcafunam, laicifitra ekil drow a esu daetsni .ecno fo daetsni retfa esu neht, retfa naem uoy fi ecno .ssalc a roo dohtem a ot gnirrefer nehw ti esu t'Nod. .metsys retupmoc a fo noitidnoc a ot refer ot esu ot KO .no etarepo dluohs retlif eht taht elbat atad eht fo nmuloc ehT :dednemmocer toN .yrarbil esu ,daetsni ;yrarbil tneilc rof noitaiverbba na sa tneilc esu t'noD .serudecorp tnereffid rof stnemele IU eht ni ecnereffid a s'ereht sselnu tnemucod eht tuohguorht mret emas eht esU .tnemetats TCELES a etucexe d'uoy taht yaw emas eht ni stnemetats LMD etucexe nac uoY :dednemmoceR).ti deen t'nod netfo uoy ,stif smret tnemecalper Eseht fo eno fi neve (.kcatta roe evomer esu daetsni .tnemerusaem fo stinu ees, noitamrofni erom rof .rehtehw ees .esu t'nod kcehc ytinas. esu t'noD oodoov .elor MAI siht troppus tey ton seod elosnoC duolC ehT :dednemmocer toN .drowssap rieht gniretne yb era yeht yas yeht ohw era yeht taht setacitnehtua resu A ,elpmaxe roF .)TAN ecruos ro TANS(:lacitehtnerap noitnem tsrif eht ni ti edulcni, siht od uoy fi .elbissop fi eman htap r O, Emanhtap, HTAP Elif, Htapelif Gnisu Diova HTAP DLIHCâ "Ã € Ã € TNERAP RO DLIHC Â" ot gnirrefer nehw esacrewoL najort .detamotua susrev derugifnoc yllaunam ro cimanyd susrev tnetsisrep ekil smret esicerp erom esu ,daetsnI .gnoma dna neewteb fo noissucsid s'lriG rammarG osla eeS .elpmaxe rof ,emit elipmoc htiw detsartnoc sa ,srucco gnihtemos nehw noitucexe margorp gnirud emit EHT ot gnirrefer nehw emit nur esarhp nuon eht esu .notatnemucod ees .sserp esu, snottub lacinahcem rof .nuon a sa tsilyned esu ot ko .reilrae ro 2.2 noisrev esu: dednemmocer. (Tsilwolla neurcs SPA LLA .gniod stil sti tahw yltcaxe ebircsed, sdohtem gnitset euqapo dna raailc fo noitanibmoc a s'taht gnitset ot refer ot .secrup lamronba na seat. Sillana or italics the term. Recommended: you can share services between more customers. Recommended: geographical data, also known as geospace data, are ... instead, for example, for example. Boolean in most contexts, you are talking about a specific type of data in a specific programming language, in which case it uses the character of the code and the exact spelling and capitalization of the keyword of programming. Application see app. Colocati; Non Co-Location or Collo Box Combo Box (noun), combined box (adjective) command line (noun), command line (adjective) compilation time (noun), compilation time (adjective) compliant, use of compliance with caution. Instead, use something like disadvantages. Tar file do not use an extension of the file name to refer to a type of file. Action bar in Android documentation, don't use. Android (never Android) Android device; Not Android device and so on avoiding use and so on every time it is possible. Not recommended: Add a user to the Whitelist by inserting the following: Whitelist adduser email_address. Do not use him/her or (i) he or other sudden approaches. Codebase; Codelab of Codelab of Code; It does not code Lab for more information, consult the documentation. For details, consult the reference to file types. (Do not touch and hold down.) Do not use for a range of version numbers. Second generation times significantly improve the skills of the App. Recommended: in the recommended cloud console: on the uncompromising cloud activity page: in the cloud de -adjusting of the user interface, do not use to refer to the cancellation of a check sign from one control box. Instead, it uses terms such as the High-Touch, Premium or Platinum level. For some readers, he has aggressive. For example, the process can take about 30 minutes. Not recommended: since the screen size varies widely between devices (e.g. between phones and tablets and even between different phones), you need to configure the viewport so that your pages will make them correctly on many different devices. different. .otsopanges ia otnemirefir eraf rep atazzilitu ¨Ã non aizittif elibairav aL .)sucoF(opot led erotatnup li eratnup id enoiza'lla otnemirefir eraf rep erasu ad otnup .B o A ©Ân ,B ©Ân A ©Ân onocid non ©ÃN .arrab alled osu'l onadeihcir non oizaps id ilocniv i ehc onem a ,)/(ENOISIVID HSALS ©Âhcizna rep osU ,ossaT NU ERESSERPPA ERESSE REP REEP ANOZ NON ;gnireep id anoz .onaidne oloccip noc ntep siht ot otnemanidro nu enoppuserp etnemlautta ecidoc id esab al :otailgisnoC .oiranoitseuq li alipmoc :otailgisnoC .icsirefir it asoc a icsiraihc e)ecidoc emoc itattamrof(ecidoc led itnemele ilga otterid otnemirefir ni olos elorap etseuq asu ,elorap etseuq id anu azzilitu odnatnemucod iats ehc ecidoc li o odnamoc li eS ... :otailgisnoC .olocsunim li erazzilitu ,isaf 2 ni acireneg acifirev alla otnemirefir af is odnauQ .eralognis elareneg emonorp li rep orol li e orol asU .cilc erazzilitu non ,diordnA ppa el reP .itad i non ,onais itad i ehc omainoppuS .ottodorp nu id emon led etrap etnemlaiciffu aiccaf non ehc onem a draobhsaD toN draobhsaD erazzilitU .otis nu id Âtilibadiffa'lled etneilc nu id enoizecrep alla onocsirefir is odnauq Âticilef al onasu enoizafsiddos al e Âticilef aL .atatimil o atatimil Âtilibom noc anosrep ;elletor a eides id etnetu ;annac anu o erotalubmaed nu ,elletor a aides anu asu ehc anosrep ;)dradnats areitsat o esuom nu id ozzilitu'lla ecsirefir is(azzertsed alled enoissimorpmoc noc anosrep ;)isrevoum o eranimmac a ecsirefir is(Âtilibom aled otnemaroireted nu noc anosrep ;airotom Âtilibasid noc anosrep al emoc ,acisif enoissimorpmoc anu etnemacificeps onovircsed ehc inimret asu ,enosrep ella otnemirefir af is odnauQ .azzeraihc rep)emim(aidem id opit nu erevircs ioup arolla ,emim enimret li noc Âtirailimaf ah ehc ocilbbup nu rep ougibma Âras ehc inoitir eS .otnemagelloc nu a otnemirefir eraf rep mreT etnaslup li erazzilitu noN ;etnaslup nu id ossets ol ¨Ã non otnemagelloc nu ,etnetu aiccafretni'nu nI etnasluP Letters of this acronym represent an extremely graphic and violent act. Disclosure triangle, dissemination widget does not use. It should be generally avoided. Instead, use words like stop, go out, cancel or end up. Recommended: geographical data or geospace data are ... If doing it translates into a clumsy prose, then don't do it to do it anu erazzilitu elibissop ¨Ã ,elosnoc anu id otelpmoc emon li otad reva opoD .onasu non itireferp imonorp I .erazzilitu noN eter id PI ozziridnI)CIN(eter id aiccafretnI rellortnoC ecafretnI)GEN(puorG tniopdnE krowteN .UPC alled esrosir ¹Âip egnuigga relacsotua'l ,%57 li arepus UPC alled ozzilitu'l odnauq :otailgisnoC .sserddA_liamE resuddA tsiletihW :euges otnauq odneresni)tsiletihW(tsiLtimA a etnetu nu ignuigga :otailgisnoC .acilper o erotaroval emoc ,oinimod out la itairporppa ivitanretla inimret asu ,ecevnI .etnetu'lled azneirepse'llus ottapmi nu ah amelborp otseuq :elibattecA .spaC llA LRU .ebuTuoY eradraug ioup ,oediv noub nu iredised ehc atlov ingo :otailgisnoC .KO us cilc eraf :otailgisnoC .tnuocca'lled etnatneserppar li erattatnoc id agerp is ,etsisrep amelborp li es :otailgisnoC .erasu noN iuq accilC .)onroig la o odnoces la etitnesnoc ednamod id oremun(ozzilitu id itimil ia ecsirefir is osseps ,IPA otsetnoc nu ni itimiL .)coh da ocifarg nu o coh da yreuq ,oipmese da("etnetu'llad ittircs" o "amrof-eerf" eracifingis rep isilana e esabatad id itsetnoc ni erazzilitu ad yakO coh da .enoizazzirotua'l o enoizacitnetua'l erazzilitu ,ecevnI .ocirac li o enoizatropmi'l erazzilitu ,ecevnI .tsilkcalB eratlusnoc ,inoizamrofni iroiretlu reP .itinU itatS ilgen enosrep el e itinU itatS ilg o itinU itatS ilg emoc osicerp ¹Âip enimret nu asu ,ecevnI .azzeraihc rep olleuq o otseuq opod emon nu ossem ah ,elibissop evo ,otseuQ .elif id ipit ia otnemirefir li eratlusnoc ,ilgatted i reP .enoizpo'l erazzilitu ,ecevnI .1ahs-ASH emoc etanallis isarf ni e mune/ilarettel ni ennart ,1ahs non 1-ahS .otatroppus ¨Ã non swodniW :otailgisnoC .tsilkcalB eeS oren ni otacnele ,oren otacnele ,aren atsil allen . Âtisselpmoc eroiggam id osnes nu erettemsart rep enoizacilppa'l erazzilitu KO ¨Ã ,eladneiza erawtfos li emoc ,itsetnoc inucla nI .arutturtsarfni id oizivres nu ¨Ã EFG lI .emon li ebberas elauq a erasnep a avorp ,arolla ehcna aM ;osse abbreviated name; For the two Google developers consoles, short names are Cloud Console and API Console. Use the name before the tool. There is no need to explain to the first mention unless the public asks. Blackhat, black hat, black, emoc ,oizaps onu o onittart nu onasu etnemenumoc ehc itadilosnoc inimret rep inoizecce ertson el emoc ¬Âsoc ,itinifederp e itadatem ,tesatad emoc ,elorap elled ocnele'llen asuihc amrof alled inumoc ipmese inucla osulcni omaibbA .irotappulivs id Âtinumoc allen enumoc enimret nu ¨Ã es ehcna elibissop odnauq erativE ooF .inimret itseuq erazzilitu ,etnangesni o otrepse ednetni is es ,oipmese dA .hcet-nif o hceTniF erasu noN .erasu non ,diordnA enoizatnemucod alleN agnul asserp .asse id aznes otatropsart eresse ²Âup otacifingis ossets ol otilos id ©Âhcrep esarf allad alorap atseuq eranimile a avorP .odnevircs ats erotappulivs ol ehc ppa'l ¨Ãoic ,tneilc ppa'l rep everb ¨Ã tneilc li ,IPA CPR e TSER enoizatnemucod alleN)obrev(tneilc lus cilc eraf ,)emon(hguorhtkcilc .elgooG noc acrecir al erazzilitu ,ecevnI .ereneg id inimret odnazzilitu erativE ottaf omou ,ottaf omou .erasu noN Zhtua ,NhtuA .KO us accilC :otailgisnoc noN .otaerc etnemetnecer otnemele ortla nu ad otnemele'l ereugnitsid oirassecen ¨Ã non ehc onem a erazzilitu id erativE .elif id opit nu a otnemirefir eraf rep elif enoisnetse'nu erasu noN LMAY .a onges li erasu ,ecevnI .erasu noN :otailgisnoC etnedecerp .opmet led oiggassap la isrirefir ²Âup ;ougibma ¨Ã ehc otnemom laD .²Âup o ebbertop erazzilitU .enoiznem amirp allus enoizaiverbba'l erednapse id ongosib ¨Ã'c noN .ellebat id enoizaerc allus inoizacidni ecsinrof otnemogra otseuQ :otailgisnoc noN .esoc elled tenretnI rep enoizaiverbba emoc erasu ad KO ToI)O/I elgooG ehcna idev(O/I)EKI(egnahcxE yeK tenretnI .enoizulos amitlu o eroilgim ,elamitto ,ovitinifed ,otsetnoc led adnoces a ,o enola-dnats